




EURODRIVE

CONTROLS



Tubular Motors and Controls Catalogue 2023/24



Official European distribution agent on behalf of:

SCVE 森富机电

Introduction



DRS UK are based within Manor Park, Runcorn, Cheshire and were established in 2006. As trade suppliers only, DRS UK are committed to providing competitively priced products without compromising safety, quality or service.

Eurodrive Controls is now a well-known established brand throughout the UK and Europe. As a result in 2016 we became the European distribution agents for Zhejiang Huzhou SCVE Machine & Motor Co Ltd who are one of the largest manufacturers in the world due to their proven reliability, innovative designs and competitive pricing. As a result we hold large stocks of all products in order to supply all markets across Europe. Together we have and will continue to innovate and improve already proven reliable products by making them even better.




Index

Page 2	Introduction
Page 4	Tubular Motor Selection Chart
Page 5	Tubular Adapters
Pages 6 -16	Tubular Motors
Page 6	35mm series
Pages 7-11	45mm series
Pages 12-13	59mm series
Page 14	64mm series
Page 15	92mm series
Page 16	115mm series
Pages 17-23	Control Equipment
Pages 17-19	Receivers & Accessories
Page 20	Override Accessories
Page 21	Rocker & Key Switches
Page 22	Fire Equipment & Group Controls
Page 23	Photocell Equipment, Safety Brakes & Dummy Ends
Pages 24-25	Account Application Form
Pages 26-27	Account Terms and Conditions


Tube Adapters

Tube Motor Selection & Deflection Chart



MANUAL OVERRIDE TUBULAR MOTORS								
ADAPTER CODE	OD OF ADAPTER	SUITS TUBE SHAPE	TO SUIT TUBE SHAPE	EURO 40-60	EURO 80-160	EURO 180	EURO 240-360	EURO 600
ED0903	76mm	RND / ZF	80mm	•				
ED0904	85mm	RND / DEP	89 / 90mm	•				
ED0912	67mm	OCT	70mm	•				
ED0913	60mm	RND / ZF	64mm	•				
ED0914	60mm	RND / DEP	63mm	•				
ED0916	57mm	OCT	60mm	•				
ED0920	94mm	RND	4"9swg	•				
ED0921	94mm	DOH	4"9swg	•				
ED0930	97mm	RND	4"16swg	•				
ED0949	48mm	OCT	50mm	•				
ED0953	52mm	ZF	54mm	•				
ED0956	56mm	RND	60mm	•				
ED0967	67mm	RND / DEP	70mm	•				
ED0968	67mm	IMB	70mm	•				
ED0976	75mm	DEP	78mm	•				
ED0976A	75mm	ZF/IMB	78mm	•				
ED1248	67mm	OCT	70mm		•			
ED1249	97mm	OCT	4"16swg		•			
ED1256	97mm	RND	4"16swg		•			
ED1257	94mm	RND	4"9swg		•			
ED1258	94mm	DOH	4"9swg		•			
ED1266	85mm	RND / DEP	89 / 90mm		•			
ED1267	67mm	RND / DEP	70mm		•			
ED1273	76mm	ZF	80mm		•			
ED1275	75mm	RND / DEP	78mm		•			
ED1275A	75mm	IMB	78mm		•			
ED1282	82mm	RND	86mm		•			
ED1556	97mm	RND	4"16swg			•		
ED1557	94mm	RND	4"9swg			•		
ED1558	119mm	RND	5"10swg			•		
ED3500A	94mm	RND	4"9swg				•	
ED3501A	97mm	RND	4"16swg				•	
ED3503A	106mm	RND	110mm				•	
ED3506A	119mm	RND	5"10swg				•	
ED3510A	123mm	RND	5.25"8swg				•	
ED3515A	128mm	RND	5.5"5swg				•	
ED3520A	133mm	RND	5.5"9swg				•	
ED5120	119mm	RND	5"10swg					•
ED5126	126mm	RND	5.5"8swg					•
ED5128	128mm	RND	5.5"5swg					•
ED5158	160mm	RND	6 5/8" / 168mm					•


NON-MANUAL OVERRIDE TUBULAR MOTORS						
ADAPTER CODE	OD OF ADAPTER	SUITS TUBE SHAPE	TO SUIT TUBE SHAPE	EURO 12W/0	EURO 20-60W/0	EURO 130-150W/0
ED0711	38mm	OCT	40mm	•		
ED0715	38mm	RND	40mm	•		
ED0716	48mm	RND	50mm	•		
ED0718	57mm	OCT	60mm	•		
ED0903	76mm	RND / ZF	80mm		•	
ED0904	85mm	RND / DEP	89 / 90mm		•	
ED0912	67mm	OCT	70mm		•	
ED0913	60mm	RND / ZF	64mm		•	
ED0914	60mm	RND / DEP	63mm		•	
ED0916	57mm	OCT	60mm		•	
ED0920	94mm	RND	4"9swg		•	
ED0921	94mm	DOH	4"9swg		•	
ED0930	97mm	RND	4"16swg		•	
ED0949	48mm	OCT	50mm		•	
ED0953	52mm	ZF	54mm		•	
ED0956	56mm	RND	60mm		•	
ED0967	67mm	RND / DEP	70mm		•	
ED0968	67mm	IMB	70mm		•	
ED0976	75mm	DEP	78mm		•	
ED0976A	75mm	ZF/IMB	78mm		•	
ED1248	67mm	OCT	70mm			•
ED1249	97mm	OCT	4"16swg			•
ED1256	97mm	RND	4"16swg			•
ED1257	94mm	RND	4"9swg			•
ED1258	94mm	DOH	4"9swg			•
ED1266	85mm	RND / DEP	89 / 90mm			•
ED1267	67mm	RND / DEP	70mm			•
ED1273	76mm	ZF	80mm			•
ED1275	75mm	RND / DEP	78mm			•
ED1275A	75mm	IMB	78mm			•
ED1282	82mm	RND	86mm			•



35mm Standard (non-manual override)



Ø 35
Diameter 35mm




WALL



COMP



STAR





230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
EURO12W/0	12	17	170	0.75	42

KG (correct up to 3m high)	Ø 40mm	Ø 50mm	Ø 60mm
EURO12W/0	40	30	25

45mm Standard (non-manual override)




Ø 45
Diameter 45mm



DOM



STAR





230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
EURO20W/0	20	17	178	0.78	25
EURO30W/0	30	15	235	1.03	25
EURO40W/0	40	12	276	1.20	25
EURO60W/0	60	12	310	1.40	25

KG (correct up to 3m high)	Ø 60mm	Ø 70mm	Ø 80mm	Ø 90mm	Ø 100mm
EURO20W/0	50	45	35	32	30
EURO30W/0	75	65	55	50	45
EURO40W/0	100	85	75	65	60
EURO60W/0	150	130	110	100	90

45mm Standard (non-manual override)



Ø 45
Diameter 45mm






230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
E20W/0	20	17	178	0.78	25
E30W/0	30	15	235	1.03	25
E60W/0	60	12	310	1.40	25

KG (correct up to 3m high)	Ø 60mm	Ø 70mm	Ø 80mm	Ø 90mm	Ø 100mm
E20W/0	50	45	35	32	30
E30W/0	75	65	55	50	45
E60W/0	150	130	110	100	90

45mm Radio




Ø 45
Diameter 45mm



230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
iDRIVE30	30	15	235	1.03	15

KG (correct up to 3m high)	Ø 60mm	Ø 70mm	Ø 80mm	Ø 90mm	Ø 100mm
iDRIVE30	75	65	55	50	45

45mm Override



230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
E40M/O	40	15	276	1.20	36
E60M/O	60	12	310	1.40	36

KG (correct up to 3m high)	Ø 60mm	Ø 70mm	Ø 80mm	Ø 90mm	Ø 100mm
E40M/O	100	85	75	65	60
E60M/O	150	130	110	100	90

E40M/O & E60M/O



Now with a hole in the limit head
to suit the spigot moulding
on domestic end plates



59mm Standard (non-manual override)



Ø 59
Diameter 59mm



STAR



230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
EURO130W/0	130	12	450	2.00	32
EURO150W/0	150	9	480	2.20	32

KG (correct up to 3m high)	Ø 70mm	Ø 80mm	Ø 90mm	Ø 100mm
EURO130W/0	265	240	215	195
EURO150W/0	320	280	250	225

59mm Override



Ø 59
Diameter 59mm



ANGLE




DI



STAR16



FLAT




230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
E80M/0	80	15	370	1.80	26
E130M/0	130	12	450	2.00	26
E160M/0	160	12	530	2.45	26

KG (correct up to 3m high)	Ø 70mm	Ø 80mm	Ø 90mm	Ø 100mm
E80M/0	165	150	135	120
E130M/0	265	240	215	195
E160M/0	335	295	260	235



64mm Override



Ø 64
Diameter 64mm




DI





230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
EURO180M/0	180	9	520	2.40	36

KG (correct up to 3m high)	Ø100mm	Ø 130mm
EURO180M/0	265	205

92mm Override



Ø 92
Diameter 92mm




230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
EURO240M/0	240	12	830	3.80	13
EURO360M/0	360	8	980	4.80	13

KG (correct up to 3m high)	Ø 100mm	Ø 110mm	Ø 130mm	Ø 140mm
EURO240M/0	375	340	295	270
EURO360M/0	500	455	395	340



115mm Override

Control Equipment

Qualikit Receiver & Accessories



Ø 115
Diameter 115mm



UK
CA

FA

CE

CCC

TUV
SUD

230v / 50Hz	Nm	Rpm	Watts	Amp	Turns
EURO600M/0	600	7	1350	7.20	11

KG (correct up to 3m high)	Ø130mm	Ø 140mm	Ø 170mm
EURO600M/0	500	450	375



QUALKIT

Radio Receiver Kit
c/w 2No. Qualfob2
Transmitters

FEATURES

Digital run-time which automatically self checks
LED lighting and courtesy light output
Stop and return safety feature
Auto close facility
Fitted with 1.5m pre-wired power cable and moulded plug




QUALFOB / QUALPREM

Radio Receiver Kit
c/w 2No. Qualfob2
Transmitters

ACCESSORIES AVAILABLE



Wireless Keypad
Wireless Rocker Switch
Wireless Key Switch
Backing / Mounting plate



QUALOPTOKIT / QUALHARDKIT

Optical Safety Edge
System
Hardwired & Wireless
options
(to suit Qualkit &
Eurokit)

FEATURES

Low power optical eyes
No magnets required
Suits domestic and industrial applications
Status LED indicators
Transmitters available to suit indoor and outdoor applications

Control Equipment

Eurokit Receiver & Accessories



EUROKIT

Radio Control Receiver c/w 2No. EuroFob Transmitters

FEATURES

Advanced low cost radio control
Fitted with a 1.5m pre-wired power cable and a moulded UK plug
230v light output relay with a programmable run-time
Low voltage inputs for key switches, rocker switches etc.
Impulse open / close or impulse open / deadman close options



EUROKITEDGE

Radio Control Receiver c/w 2 No. EuroFob Transmitters and a hardwired optical safety edge option

FEATURES

Advanced low cost radio control c/w **hardwired optical safety edge option**
Fitted with a 1.5m pre-wired power cable and a moulded UK plug
230v light output relay with a programmable run-time
Low voltage inputs for key switches, rocker switches etc.
Impulse open / close or impulse open / deadman close options



EUROFOB

Single Channel Radio Control Transmitter



EUROROCKER

Wireless Domestic Rockerswitch



EUROMATE

Fitters Aid c/w Push Buttons & UK Plug

FEATURES

Simple wiring solution for tube motor installations
Dedicated panel mounted up / down / stop pushbuttons
Fitted with a 1.5m pre-wired power cable and a moulded UK plug
Low voltage inputs for key switches, rocker switches etc.
Stop circuit terminal to suit safety brake / wicket door interlock switches

Control Equipment

DRS900 Receiver & Accessories



DRS900 / DRS900L

Radio Receiver Kit c/w 2No. DRS Transmitters
Available with (as shown) or without courtesy light



DRS911

Single Channel (3-button) Radio Control Transmitter



DRS901

Single Channel (2-button) Radio Control Transmitter



DRS904

Dual Channel Radio Control Transmitter



DRS902

Single Channel (mini) Radio Control Transmitter



DRS905

Multi Channel Radio Control Transmitter



DRS907

Wireless Domestic Rocker Switch




DRSKEYPAD

Wireless Keypad Entry System


Control Equipment

Override Accessories




**MAN514 &
MAN518**

Hook type crank handle
1.5m & 1.8m
available




EUROCRANK

7mm Hex output
crank handle



EUROEXTBAR

7mm Hex 330mm
extension bar




EUROSLEEVE7

7mm Hex to Hex
sleeve



EUROEYE / 200

7mm Hex override
eye to suit
EURO40-180M/O
150mm & 200mm
lengths available



EUROEYE-HD

Manual override eye
to suit
EURO240-600M/O



EUROUVJ

7mm Hex
500mm universal
joint
To suit
EURO40-180M/O



EUROUVJ-HD

8mm Square
500mm universal
joint & sleeve
To suit
EURO240-360M/O

Control Equipment

Rocker & Key Switches



ROCKERSTD

Surface Mount
Economy Rocker
Switch



KEY-32 / -IC

**32amp Surface
Mount Key Switch**
Random or identical
cylinder available



ROCKERDOM

Surface Mount
Domestic Style
Rocker Switch



KEY-DP / -IC

**16amp Surface
Mount Double Pole
Key Switch**
Random or identical
cylinder available



KEY-16 / -IC

**16amp Surface
Mount Key Switch**
Random or identical
cylinder available




KEY-BLANK / -IC

**Key Blank to suit Key
Switches**
Random or identical
cylinder available



**KEY-16-FLUSH /
-IC**

**16amp Flush Mount
Key Switch**
Random or identical
cylinder available



LOCKABLE

**Lockable Key Switch
Box (Steel)**


Control Equipment

Fire Equipment & Group Controls



**UPS-EURO60 –
UPS-EURO360**

Battery back up
system to suit motors
up to 360nm




EUROFDI

Fire Door Interface
Panel



QUALKIT

Radio Receiver for
use with battery
back ups




STEEL 94 / 120

Steel Fire Collars
to suit 4"9swg or
5"10swg



EUROGROUP4

4-Way Group Control
(10amp maximum
load)



GROUP6-RC

**6-Way Group Control
c/w built-in Radio
Receiver**
(15amp maximum
load)



EUROGROUP8

8-Way Group Control
(15amp maximum
load)



GROUP10-RC

**10-Way Group
Control c/w built-in
Radio Receiver**
(15amp maximum
load)

Control Equipment

Photocell Equipment, Safety Brakes & Dummy Ends




PHOTOCELL

Send & Reflect
Photocell




PHOTOSEND

Send & Receive
Photocell




BRAKE-GAPOSA

**18mm Square Bore
Safety Brake**
Suitable up to
maximum 200kg
also available with
microswitch




SHAFT-18

18mm Square Shaft
to suit 60mm Oct - 4"
Tube



BRAKE-30

**30mm Round Bore
Safety Brake
c/w microswitch**
Suitable up to
maximum 500kg



**SHAFT-30 &
DISCS**

**30mm Round Shaft
Discs for 4" - 5.5"
Tube**



LB-85 / 94 / 97

**Lost Bobbin
c/w U-Bracket to suit
90mm - 4" Tube**



LB-120

**Lost Bobbin c/w
U-Bracket to suit 5"
Tube**

Account Application Form

I/We agree to accept the supply of your goods upon the terms & conditions of Domestic Roller Shutters Ltd, a copy of which is attached.	
Signed:	
Name: (Block Capitals)	

Address:	
Postcode:	
Tel:	
Fax:	

Name & Address of Proprietors or Partners:	
--	--

Name & Address of Trade Reference 1		(Not Direct Competitors Please)	
Postcode:			
Tel:			
Fax:			
Accounts Email:			

Number of years trading as above:		Type of Business:	PLC	Bank Name & Address:	
Company Registration Number:		(Circle one)	Ltd Company		
Amount of Credit Required:			Partnership		
VAT Registration Number:			Sole Trader		
		Account Number:		Sort Code:	

Company Name:		Delivery Address		Accounts Tel:	
Invoicing Address:				Accounts Fax:	
				Purchasing Tel:	
				Purchasing Fax:	
				Email:	
Postcode:		Postcode:		Contact Name:	

Account Application Form

Declaration and Data Protection Notice

I/We confirm that the information given in this Credit Account Application Form is in all respects true and accurate. I/We confirm that I/we have read and understood your terms and conditions of sale and I/we unconditionally accept that those terms and conditions shall be the only ones that apply to all sale contracts which I/we may conclude with you.

Data Protection Act 1998 Notice

Words shown in italics are defined in the Data Protection Act 1998 (*“the Act”*).

Where I/we provide you with personal data (*“data”*), I/we understand that the data will be held securely in confidence and processed for the purpose of carrying out your business and associated activities (*“Activities”*). In considering my/our application, I/we accept that you may consult with and disclose the data to credit reference agencies, banks, credit insurers and other responsible organisations outside your business that you have nominated (*“third parties”*), and that such third parties may process the data. I/we understand that under the Act I/we have a right to know what data you hold on me/us if I/we apply to you in writing and pay the applicable fee.

Authorised Signature of Applicant(s):

Date:

Printed Name of Signatory:

Position within the Business:

Company Stamp (if available)

Account Application Form

1. DEFINITIONS

In these conditions Domestic Roller Shutters Ltd is referred to as `the Company` and the person, firm or company placing the order or otherwise dealing with the Company as `the Customer`. The reference to `the Goods` means any goods or services ordered by the Customer from the Company.

2. HEADINGS

The headings to these Terms and Conditions of Sale are for convenience only and shall have no affect on the interpretation thereof.

3. ADVICE

- i) These terms and conditions represent the entire agreement made between the Company and the Customer and exclude any other terms and/or conditions which may be inconsistent therewith.
- ii) No variation substitution addition or alteration to these terms shall be permitted.
- iii) No employee salesman or agent or other representative howsoever of the Company has any authority whether actual presumed or otherwise to vary or delete or add to any of these terms and conditions nor to make any representations pertaining to the goods their delivery use or suitability nor to give any advice or warranty in respect thereof and any view opinion or advice expressed by any such person in respect of the goods their delivery use or suitability shall not be considered the view opinion advice of the Company.
- iv) The Company shall be under no liability whatsoever in respect of any advice it has given or views it has expressed to a Customer whether or not such advice is given or such views expressed at the Customer's request.
- v) The Customer acknowledges that he was not induced to contract as a result of any oral representation of whatever nature made to him by any servant or agent of the company.

4. GENERAL

- i) All prices quoted by the Company are based upon these conditions and reflect the limitations upon the Company's liability which they contain. Any quotation is merely an invitation to treat and no order whether based on a quotation or not shall create a binding contract between the Company and the Customer until the Company has expressly accepted such order in writing.
- ii) These conditions shall apply to all quotations given by the Company and all contracts made between the Company and the Customer and shall supersede and over-ride any other terms and conditions proposed or stipulated in the order or otherwise by the Customer.

5. ACCEPTANCE

The Customer's written order can only be validly accepted by the signature of a person duly authorised on behalf of the Company.

6. PRICES

- i) All prices quoted by the Company are exclusive of Value Added Tax, and are subject to variation without notice any time prior to the Customer's acceptance.
- ii) Prices are quoted by the Company for the quantities of goods or other services specified and it shall only apply to orders for quantities or those services without alteration or amendment.
- iii) Packing handling and delivery will be charged as an extra unless otherwise stated.

7. PAYMENT

- i) Unless otherwise agreed by the Company payment of the full price (including Value Added Tax and any other charges) of the goods or services shall be 30 days from date of invoice.
- ii) Where the Company delivers part of an order the Company shall nevertheless be entitled to payment for that part.
- iii) If the Customer fails to make payment due to the Company on the due date the Customer shall pay the Company the value of all goods delivered and all work done as if the same were immediately due and the Company may suspend the production of further goods for the Customer and recover from the Customer the cost of such production any materials purchased as a result of the Customer's order and any consequential loss of profit and the Company shall be under no obligation to continue such production unless and until the Customer has paid in advance the total cost or anticipated cost of the order including the value of any other goods delivered to the Customer by the Company.
- iv) If any sum shall remain unpaid after becoming due, the amount unpaid calculated from the due date shall bear interest at the rate of 3 per cent per month, such interest to accrue from day to day.

8. DESIGNS AND DRAWINGS

- i) Where the Company prepares designs or drawings to meet the Customer's requirements:-
 - a) the Customer shall approve such designs and drawings in writing and until such approval has been given the Company shall be under no liability to the Customer and the time for delivery shall not begin to run;
 - b) the Company shall not in any event be responsible for the correct functioning of the goods supplied in accordance with the designs or drawings the responsibility shall lie with the Customer pursuant to the Customer's approval of the said designs or drawings.
- ii) Where the goods are manufactured or supplied to designs submitted by the Customer the Company shall be under no liability for the correct functioning of the goods in accordance with such designs.
- iii) Where the Company prepares such designs or drawings to meet the Customer's requirements and the Customer thereafter fails to contract with the Company for the provision of goods and/or services in accordance with the said designs or drawings the Company shall be entitled to charge the Customer a reasonable fee in respect of the preparation of the said designs and drawings.

9. OWNERSHIP

- i) All goods delivered by the Company to or to the order of the Customer shall remain the property of the Company until all sums due to the Company from the Customer whether or not in respect of such Goods have been paid in full.
- ii) Upon the occurrence of any of the events specified in Clause 16 hereof the Company shall be entitled to immediate possession of all goods in the custody or under the control of the Customer. The Customer shall hold such unused or unmixed goods at the disposal of the Company who shall be entitled to enter upon any land or premises of the Customer or where the goods are situated for the purposes of recovering the same.
- iii) Unless otherwise agreed in writing any drawings, designs, diagrams or other items used in the production of the goods shall remain with and be the property of the Company.

Account Application Form

10. RISK

The risk in the goods shall pass to the Customer upon delivery whereupon the Customer shall insure the goods for their full reinstatement value for the benefit of the Company.

11 DELIVERY

- i) All prices quoted by the Company are for delivery ex of the Company's works. Where the Customer requires the Company to deliver or despatch the goods the Company may agree to do so and a separate charge will be made for such despatch or delivery.
- ii) Any time or date for the despatch or delivery of the goods or for the commencement or completion of any work whether specified in the contract or otherwise shall be taken as merely an estimate by the Company in good faith which the Company shall endeavour to fulfil but shall not be binding on the Company either as a term of contract or otherwise. In no circumstances shall the Company be liable for any loss or damage sustained by the Customer in consequence of any failure by the Company to adhere to such times or dates or in consequence of any delay in such despatch, delivery, commencement or completion however caused.
- iii) Any claim of the Customer that the Company has failed to despatch from its works the specified quantity of goods shall be made in writing not later than 3 days after receipt by the Customer of notification of such despatch by the Company. In no circumstances shall the Company be liable in default of notification within such period.

12 FORCE MAJEURE

In the event of war, invasion, act of foreign enemy, hostilities (whether war has been declared or not) civil war rebellion, revolution insurrection, riot, civil disturbance, fire, flood, explosion, accident, theft, climate conditions or shortage of material the Company shall be relieved of obligations incurred under this contract wherever and to the extent of the fulfilment of such obligations as are prevented, frustrated, impeded or delayed as a consequence of any such event or by any statute, rules, regulations, orders or requisitions issued by any Government, Council or other duly constituted authority or from strikes, lock outs, trade disputes (whether involving the Company's employees or other parties) or any other causes, whether or not of a like nature, beyond the Company's control.

13 GUARANTEE

- i) The Customer shall fully inspect examine and test the goods as soon as reasonably practicable and in any event within seven days of delivery by the Company.
- ii) The Customer will notify the Company in writing within seven days of the delivery of the goods by the Company of any defects or faults in the goods arising by reason of faulty workmanship or materials at the time of delivery and/or in respect of such defects or faults arising subsequent to delivery will notify the Company thereof in writing within seven days of such defects or faults arising and will upon being required so to do by the Company return the goods to the Company in such manner as required by the Company (the cost hereof may at the Company's option be refunded by the Company to the Customer) and in any event within seven days of being so required in default whereof all and/or any liability which the Company may have in respect of the goods howsoever shall cease.
- iii) Upon compliance by the Customer with Clause 13(i) and 13(ii) hereof the Company may at its option return replace or repair the goods or refund to the Customer the purchase price of the goods.
- iv) Without prejudice to the foregoing in respect of goods delivered in a defective condition by reason of having been damaged in transit the Customer will notify the Company thereof in writing within seven days of delivery and will return the goods to the Company within fourteen days of delivery (the cost whereof may at the Company's option be refunded by the Company to the Customer) whereupon the Company may at its option replace or repair the goods or refund to the Customer the purchase price of the goods.
- v) Save where the Customer complies with the requirements of Clause 13 (i) (ii) (iv) hereof whichever may be applicable the Company shall have no liability howsoever arising in respect of

any defects alleged with respect to the goods.

- vi) The Company shall, in any event, have no liability or responsibility in respect of any defects or faults in the goods howsoever arising where such defects or defaults have not been notified to the Company in writing (and/or where such goods have not been returned to the Company if so required) within twelve months of the date of the delivery by the Company to the Customer of the goods.

14 CANCELLATION OF ORDER

Orders placed by the Customer are not subject to cancellation wholly or in part except with the written consent of the Company. Such consent will usually be given upon terms that the Customer shall reimburse the Company for any loss expense and time spent occasioned by the cancellation. The usual charge shall be 15% of the order value however this may be varied at the sole discretion of the Company.

15 SEPARATE CONTRACTS

Each delivery or part delivery of an order by the Company shall be treated as a separate contract and failure on the part of the Company to make any delivery or part delivery shall not affect or vitiate this contract with regard to other deliveries.

16 DEFAULT OF THE CUSTOMER


- i) If the Customer shall make default in or commit a breach of the terms or conditions of any contract with the Company, or if any distress or execution shall be levied upon the Customer's property or assets, or if the Customer shall make or offer to make any arrangement or composition with creditors, or commit any act of bankruptcy, or if any petition or receiving order in bankruptcy shall be presented or made against him, or a Statutory Demand is served on him, or if the Customer is a limited company and any resolution or petition to wind up such Company's business shall be passed or presented, or if a Receiver of such Company's undertaking, property or assets or any part thereof shall be appointed, the Company shall have right without notice to the Customer and without prejudice to any other claims or rights the Company may make or exercise to determine all or any of its contracts with the Customer.
- ii) If it should come to the notice of the Company that any work done or any goods to be supplied under this contract infringe or are alleged to infringe any patent registered design, copyright, or other rights in the manufacture of the goods then the Company shall have the right to cease the manufacture of these goods and to be bound by this contract and the Customer shall indemnify the Company against the Company for such infringement or alleged infringement or for royalties, and against all costs, expenses and other payments arising therefrom and shall pay to the Company the value of work done on and the materials used in the manufacture of the goods prior to such cessation of manufacture.

17 WAIVER

Unless otherwise specifically agreed in writing, no concession payment, delivery or any action or omission by the Company shall constitute or be deemed to constitute any waiver of its rights hereunder in respect of any existing or future contract.

18 PROPER LAW AND JURISDICTION

These conditions and all contracts shall be governed by and construed in accordance with the Law of England.



Unit 1 Rokeby Court, Manor Park, Runcorn, Cheshire, WA7 1RW
Tel: 01928 571030 Fax: 01928 571940

sales@drs-uk.com www.drs-uk.com